RAMKY ENERGY AND ENVIRONMANT LTD.

No. 2B/1 Vaigai Street,

By-Pass Road, Madurai - 625016. Tamilnadu Tel: 0452 7962333 E-Mail: reaelmdu@ramky.com

Velmurugan Nagar,

ofc

REAEL/BMW/VDR/Lr-33

Date: 28/06/22

To:

The Member Secretary,

Tamilhadu Pollution Control Board.

Mount Road,

Guindy,Chennai-600032

Sub: Submission of Annual Report - Reg;

Respected Sir/Madam.

With above the subject, here with we submit the annual report for the year of 2021 (from Jan-21 to Dec-21) for the kind information.

Thanking you.

Yours faith fully

For Ramky Energy and Environment Ltd,

Virudhunader MADURAI

28612

ENCL: Form IV (Annual Report)

Copy to: 1.The Joint Chief Environmental Engineer, Tnpcb, Tirunelveli.

2. The District Environmental Engineer, Tnpcb, Virudhungar

Managing Bio-Medical Waste

Regional Office: Level - 4, Diamond Dune 323, Poonamallee High Road, Chennai - 600 026 Tel : 2668 1233, 2668 Fax : 2668 1180 E-mail : reaelbmw@ramky.com

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars	NAV.		
100 PR 3 THE	Particulars of the Occupier		WWW.	
	(i) Name of the authorized person (occupier or operator of facility)		Mr.SatyanarayanaAdamala	
	(ii) Name of HCF or CBMWTF	:	Ramky Energy and Environment Ltd.,	
	(iii) Address for Correspondence		2B/1 Vaigai Main Sreet,Velmurugannagar, Bye pass road, Madurai-625016	
	(iv) Address of Facility		Servey No:136,137,Undurumikidakulam,A.Mukkulam- (P.O),Thiruchuli(TK),Virudhunagar(DT), Tamil Nadu	
	(v)Tel. No, Fax. No		0452-4217325	
	(vi) E-mail ID		reaelmdu@resustainability.com	
	(vii) URL of Website		www.resustainability.com	
	(viii) GPS coordinates of HCF or CBMWTF	1	9.681626-N 78.211652-E	
ENE	(ix) Ownership of HCF or CBMWTF		Private sector	
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	•	Authorization No:19BAZ18255751 Valid up to: 31/03/2023	
	(xi). Status of Consents under Water Act and Air Act	:	CTO Order No:1908121059083 Valid up to:31/03/2023	
2.	Type of Health Care Facility	:		
	(i) Bedded Hospital	;	NA	
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital orany other)		NA	
	(iii) License number and its date of expiry		NA	
3.	Details of CBMWTF	*		
	(i) Number healthcare facilities covered CBMWTF		1634	
	(ii) No of beds covered by CBMWTF		9263 (Private Hospital) 8554(Government Hospital) Total:17817	
	(iii) Installed treatment and disposal capacity of CBMWTF:		4000 Kg per day	

(iv) Quantity of biom by CBMWTF	nedical waste treated of	or disp	oosed		3831Kg/d		193	, 1		
4 Quantity of waste ge	Quantity of waste generated or disposed in Kg per :					Yellow Category :32514				
4. Quantity of waste ge	annum (on monthly average basis)				Red Category:7483					
annum (on monumy					White: 3011			и		
					Blue Cate	gory:5	5880			
				1 X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	General S					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Committee of the Commit			25 T 1 T 1 T 1 T 1		
	Details of the Storage, treatment, transportation, processing and Disposal Facility									
(i) Details of the	(i) Details of the on-site storage : facility		Size :							
facility			Capacity:							
			Provision of on-site storage any other provision)				: (cold storage or			
(ii) Details of the disposal facilities			Туре	Type of treatment equipment		No of unit s	Cap acit y Kg/ day	Quantity treated or disposed in kg per annum		
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or		1	4000 988460 450L 406799				
					2	100kg 75kg	Glass- 179199 Plastic-227600			
			Shar ence cond Dee Che disir Any	psula crete p p bur mical nfecti	al pits: on: r treatment	2		Sharps 3011		
(iii) Quantity of sold to authorized treatment in kg pe	recyclablewastes recyclers after r annum.		22760	0						
(iv) No of vehicle and transportati	s used for collection on of biomedical	:	10 No	S				Th. and		
(v) Details of	incineration ashand			-		intity		here .		
ETP sludge ger	nerated anddisposed	2 A 1	. 1. 100	ù.	gen	erated	di	sposed		

	during the treatment of wastes in Kg		Incineration Ash:19200
	per annum		ETP Sludge: 8800 Sent to TSTF-Virudhunagar
140	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Ramky Energy and Environment Ltd., Human Anatomical Waste, Animal Anatomical Waste, BMW related Solid Waste, Discarded Medicines etc.,
1 4	(vii) List of member HCF not handed over bio-medical waste.		Nil
	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Nil
,	Details trainings conducted on BMW (i) Number of trainings conducted on		No of trainings: 10
	BMW Management.	-	40
	(ii) number of personnel trained (iii) number of personnel trained at the time of induction	V.	Nil
	(iv) number of personnel not undergone any training so far		Nil
	(v) whether standard manual for Training is available?	V.,	Yes
8	(vi) any other information) Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
·	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	the standards of air		Yes. Incinerator stack emissions results met the standards.
	Details of Continuous online emission monitoring systems installed		Yes
1	Liquid waste generated and treatment methods in place. How many times you have not met the standards ina	, , , , , , , , , , , , , , , , , , ,	Effluent water treatment system being followed and E outlet results met the standards.
1	year? 1 Is the disinfection method or sterilization meeting the log 4		Auto clave sterilization meeting the standards

Standards? How many times you have not met the standards in a year?	N	
Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

(Note:NA-Not Applicable)

Certified that the above report is for the period from January 2021 to December 2021

Name and

M.Mohan Dy.Project Head

Date:28/06/2022 Place: Madurai