

Category of the Industry :

RED



CONSENT ORDER NO. 2305249926254      DATED: 27/09/2023.

PROCEEDINGS NO.F.2836SLM/RS/DEE/TNPCB/SLM/A/2023      DATED: 27/09/2023

**SUB:** Tamil Nadu Pollution Control Board –CONSENT TO OPERATE –DIRECT -M/s. RE SUSTAINABILITY HEALTHCARE SOLUTIONS LIMITED , S.F.No. 10/1A (P), THATHANGAIYUR village Edappadi Taluk and Salem District - Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) –Issued- Reg.

**Ref:** 1. PROC NO.F.0006KMP/RS/DEE/TNPCB/KMP/W/2020 Dated: 28/12/2020.  
2. Unit’s Application No 49926254 for CTO Direct dated: 19/01/2023.  
3. IR.No: F.2836SLM/RS/AE/SLM/2023 dated 13/09/2023.  
4. Minutes of the 82nd ZLCCC meeting dated 13/09/2023 vide ZLCCC-Item No: 82-01.

CONSENT TO OPERATE is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Chief Executive Officer  
M/s . RE SUSTAINABILITY HEALTHCARE SOLUTIONS LIMITED  
S.F No. 10/1A (P)  
THATHANGAIYUR Village  
Edappadi Taluk  
Salem District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.  
This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This CONSENT is valid for the period ending **March 31, 2024**

District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
SALEM

To  
The Chief Executive Officer,  
M/s.RE SUSTAINABILITY HEALTHCARE SOLUTIONS LIMITED,  
No. 14, Seetharam Avenue, Adaikala Nagar back side, Salem

Pin: 636007

**Copy to:**

- 1.The Commissioner, EDAPADI-Panchayat Union, Edappadi Taluk, Salem District .
- 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
- 3. The District Environmental Engineer, Tamil Nadu Pollution Control Board, SALEM for favour of kind information.
- 4. File

-----

**SPECIAL CONDITIONS**

1. This consent to operate is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
<b>Product Details</b>			
1.	Common Bio Medical Waste Treatment and disposal Facility Incinerator (Primary and Secondary)	3.30	T/day
2.	Common Bio Medical Waste Treatment and disposal Facility Autoclaving	0.825	T/day

2. This consent to operate is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

<b>I</b>	<b>Point source emission with stack :</b>			
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
1	Incinerator	Wet scrubber with stack	30	
2	DG set 62.5 KVA	Acoustic enclosures with stack	3	
<b>II</b>	<b>Fugitive/Noise emission :</b>			
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	
1.	DG set- 62.5 KVA	Noise	Acoustic Enclosures	

- 3(a). The emission shall not contain constituents in excess of the tolerance limits as laid down hereunder :

Sl.	Parameter	Unit	Tolerance limits	Stacks
-----	-----------	------	------------------	--------

**Annexure enclosed if applicable.                      :-**

- 3.(b) The Ambient Air in the industrial plant area shall not contain constituents in excess of the tolerance limits prescribed below.

Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
1.	Sulphur Dioxide (SO <sub>2</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	50 80	20 80
2.	Nitrogen Dioxide (NO <sub>2</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	40 80	30 80
3.	Particulate Matter (Size Less than 10 micro M) or PM <sub>10</sub>	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	60 100	60 100
4.	Particulate Matter (Size Less than 2.5 micro M) or PM <sub>2.5</sub>	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	40 60	40 60
5.	Ozone (O <sub>3</sub> )	Annual 24 hours	8 Hours 1 Hour	100 180	100 180
Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
6.	Lead (Pb)	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	0.5 1.0	0.5 1.0
7.	Carbon Monoxide (CO)	8 Hours 1 Hour	miligram/m <sup>3</sup> miligram/m <sup>3</sup>	02 04	02 04
8.	Ammonia (NH <sub>3</sub> )	Annual 24 hours	microgram/m <sup>3</sup> microgram/m <sup>3</sup>	100 400	100 400
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	Annual	microgram/m <sup>3</sup>	5	5
10.	Benzo(O) Pyrene (BaP) –particulate phase only	Annual	nanogram/m <sup>3</sup>	01	01
11.	Arsenic (As)	Annual	nanogram/m <sup>3</sup>	06	06
12.	Nickel (Ni)	Annual	nanogram/m <sup>3</sup>	20	20

3(c) The Ambient Noise Level in the industrial plant area shall not exceed the limits prescribed below:

Limits in L <sub>eq</sub> -dB(A)	Day Time	Night Time
ResidentialArea	55	45

- All units of the Air pollution control measures shall be operated efficiently and continuously so as to achieve the standards prescribed in Sl. No.3 above.
- The occupier shall not change or alter quality or quantity or the rate of emission or replace or alter the air pollution control equipment or change the raw material or manufacturing process resulting in change in quality and/or quantity of emissions without the previous written permission of the Board.
- The occupier shall maintain log book regarding the stack monitoring system or operation of the plant or any other particulars for each of the unit operations of air pollution control systems to reflect the working condition which shall be furnished for verification of the Board officials during inspection.
- The occupier shall at his own cost get the samples of emission/air/noise levels collected and analyzed by the TNPC Board Laboratory once in every 6 months/once in a year/periodically for the parameters as prescribed.

8. Any upset condition in any of the plants of the factory which is likely to result in increased emissions and result in violation of the standards mentioned in Sl.No.3 shall be reported to the Member Secretary / Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.
9. The occupier shall always comply and carryout the order/directions issued by the Board in this Consent Order and from time to time without any negligence. The occupier shall be liable for action as per provisions of the Act in case of non compliance of any order/directions issued.

**Special Additional Conditions:**

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize “Mission LiFE” logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt “Mission LiFE” action points and document the same and furnish half yearly report to Board.

**Additional Conditions:**

1. The CBMWTF shall operate and maintain the Air Pollution Control measures for the incinerators and Diesel Generators efficiently and continuously so as to bring the quality of emission to satisfy the AAQ/Emission Standards prescribed by the Board.
2. The CBMWTF shall remit the Interim Environmental Compensation of Rs.91,29,750 (Rupees Ninety One Lakh Twenty Nine Thousand Seven Hundred and Fifty) levied for non compliances of the BMW Rules 2016 immediately.
3. The CBMWTF shall comply with the provisions of the Bio Medical Waste Management Rules, 2016 at all times.
4. The CBMWTF shall ensure that the Online Continuous Emission Monitoring System (OCEMS) installed for the parameters such as PM, NOX, Primary temperature, Secondary temperature, CO & CO<sub>2</sub> are maintained properly, calibrated regularly and connected to the Care Air Centre, TNPCB, Chennai & CPCB server for monitoring the real time data of emission parameters and the temperature of primary & secondary chamber of incinerator.
5. The CBMWTF shall maintain the records of collection, reception, transportation, storage, treatment and disposal and or any form of handling of bio medical

waste in accordance with the rules and records for inspection and verification by the Board at any time.

6. The CBMWTF shall dispose the shredded plastics only through the authorized recycling facility having valid consent orders under Air & water Acts.
7. The CBMWTF shall maintain the functioning of global positioning system for all the vehicles utilized for transportation of Bio Medical Waste.
8. The CBMWTF shall operate and maintain the automatic computer recording arrangements in autoclave effectively to monitor the pressure and temperature.
9. The CBMWTF shall monitor the stack gaseous emissions (under optimum capacity of the incinerator) once in three months through approved laboratory approved under the EPA, 1986 and record of such analysis results shall be maintained and submitted to the Board. In case of dioxins and furans, monitoring should be done once in a year.
10. The CBMWTF shall ensure that the Bio medical waste generated from healthcare facility shall be removed everyday and ensure that in no case the waste shall be kept in the health care facility beyond 48 Hours.
11. The CBMWTF shall carry out third party evaluation study through reputed institutions and furnish the report once in every year.
12. The CBMWTF shall install separate energy meter and maintain log books for the operation of Incinerator/Autoclave/Shredder/APC measures attached to the stack such as Quencher, Venturi & Wet scrubber.
13. The CBMWTF shall maintain the surveillance cameras (CCTV) in the vulnerable location of the facilities (Waste storage, waste feeding, PLC attached with the treatment equipment (incinerator and autoclave) including recording facilities.
14. The CBMWTF shall ensure that the Biomedical Waste received from the Health Care Facilities is stored in closed shed properly.
15. The CBMWTF shall ensure to establish bar coding and global positioning system for handling of bio- medical waste within one year.
16. The CBMWTF shall maintain good housekeeping with no odour nuisance.
17. The CBMWTF shall ensure that the operation of the facility shall not lead to any complaints from the nearby public.
18. The CBMWTF shall continue to develop green belt within the premises of the facility.

19. The CBMWTF shall not install additional treatment equipments and shall not go for any expansion more than the existing installed capacity without prior consent from the Board.

20. The CBMWTF shall maintain daily records/logbook for the collection & reception of BMW with vehicle movement (GPS) details, logbook for operating parameters of incinerator & Autoclave during its operation, waste sharps disposal to foundry, Plastic waste disposal to recyclers, HW generated, stored & disposed to CHWTSDF.

21. The CBMWTF shall comply with the emission standards prescribed for incinerator in Schedule II of the Biomedical Waste Management Rules, 2016.

22. The CBMWTF shall apply and obtain authorization of the Board for handling the Bio Medical wastes under the Bio-Medical Waste Management Rules, 2016 immediately.

23. The CBMWTF shall apply & obtain authorization of the Board for handling of hazardous wastes under the Hazardous and Other Waste (Management & Transboundary Movement) Rules, 2016 immediately.

24. The CBMWTF shall not use “use of throw away plastic” such as plastic sheets used for food wrapping, spreading on dining table etc., plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the premises. Instead CBMWTF shall encourage use of eco-friendly alternative such as banana leaf,

arecanut palm plate, stainless steel glass, porcelain plates/cups, cloth bag, jute bag etc

25. In case of revision of consent fee by the government, the CBMWTF shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the facility as per law.

**District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
SALEM**

## **GENERAL CONDITIONS**

1. The occupier shall make an application along with the prescribed consent fee for grant of renewal of consent at least 60 days before the date of expiry of this Consent Order along with all the required particulars ensuring that there is no change in production quantity and emission.
2. This Consent is given by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice from the particulars furnished, in the application will also be ground for review/variation/revocation of the Consent Order under Section 21 of the Act.
3. The conditions imposed shall continue in force until revoked under Section 21 of the Act.
4. After the issue of this order, all the 'Consent to Operate' orders issued previously under Air (Prevention and Control of Pollution) Act, 1981 as amended stands defunct.
5. The occupier shall maintain an Inspection Register in the factory so that the inspecting officer shall record the details of the observations and instructions issued to the unit at the time of inspection for adherence.
6. The occupier shall provide and maintain an alternate power supply along with separate energy meter for the Air Pollution Control measures sufficient to ensure continuous operation of all pollution control equipments to ensure compliance.
7. The occupier shall provide all facilities to the Board officials for collection of samples in and around the factory at any time.
8. The applicant shall display the flow diagram of the sources of emission and pollution control systems provided at the site.
9. The liquid effluent arising out of the operation of the air pollution control equipment shall also be treated in a manner and to the satisfaction of standards prescribed by the Board in accordance with the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended.
10. The air pollution control equipments, location of inspection chambers and sampling port holes shall be made easily accessible at all time.
11. In case of any episodal discharge of emission, the industry shall take immediate action to bring down the emission within the limits prescribed by the Board.
12. If applicable, the occupier has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances.
13. The issuance of this consent does not authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any natural watercourse or in Government Poromboke lands.
14. The issuance of this Consent does not convey any property right in either real personal property or any exclusive privileges, nor does it authorize any injury to private property or Government property or any invasion of personal rights nor any infringement of Central, State laws or regulation.
15. The occupier shall forth with keep the Board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emissions are being discharged into stream or well or air as a result of such discharge, water or air is being polluted.
16. If due to any technological improvements or otherwise the Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any treatment system, either in whole or in part) the Board shall, after giving the applicant an opportunity of being heard, vary all or any of such conditions and thereupon the applicant shall be bound to comply with the conditions as so varied.
17. In case there is any change in the constitution of the management, the occupier of the new management shall file fresh application under Air (Prevention and Control of Pollution) Act, 1981, as amended in Form-I alongwith relevant documents of change of management immediately and get the necessary amendment with renewal of consent order.
18. In case there is any change in the name of the company alone, the occupier shall inform the same with relevant documents immediately and get the necessary amendments for the change of name from the Board.



19. The occupier shall display this consent order granted to him in a prominent place for perusal of the inspecting Officers of this Board.

**District Environmental Engineer,  
Tamil Nadu Pollution Control Board,  
SALEM**